




ENCLOSURES  
& ENGINEERING



Serving our industry proudly for 55 years!



## Standard Sizes

Width	Height	Depth	Gauge	Ampacity
36	36	14	14	351-1200 Amps
42	42	14	14	1201-1600 Amps
48	48	14	14	1601-2000 Amps
54	54	16	12	1601-2000 Amps
60	60	16	12	Over 2000 Amps

## NEMA 3R Austin CT Can

### Application

EPI NEMA3R Austin CT Cans are used to protect CT's in outdoor installations. Designed to protect the enclosed equipment against rain and sleet; may be used indoors where dripping water is a problem.

### Construction

Made from 14-gauge galvanized steel. CT Cans wider or taller than 48" are made from 12-gauge galvanized steel. A drip shield top and smooth seam-free sides, front and back prevents rain, snow or sleet from entering the enclosure. A 3-point latching mechanism, operated by an oil-tight locking handle, holds the door securely closed. The continuous stainless steel hinge cover is securely fastened with welds along the opposite side. All double doors have a door stop mechanism. No gasket is provided. A steel CT panel is provided which can be installed vertically or horizontally, wood panels are not allowed by the utility. Knockouts are not available.

### Finish

The standard finish is G-90 Galvanized steel. Also, available in Aluminum and Stainless Steel finishes.

### Industry Standard

Meets National Electrical Manufacturers Association (NEMA) standard for Type 3R (Rainproof and Sleet-Ice resistant) enclosures.