




ENCLOSURES  
& ENGINEERING



Serving our industry proudly for 55 years!



## Standard Sizes

Height	Depth	Length	Height	Depth	Length
4	4	12	10	10	24
4	4	24	10	10	36
4	4	36	10	10	48
4	4	48	10	10	60
4	4	60	10	10	72
4	4	72			
			12	12	24
6	6	12	12	12	36
6	6	24	12	12	48
6	6	36	12	12	60
6	6	48	12	12	72
6	6	60			
6	6	72			
8	8	12			
8	8	24			
8	8	36			
8	8	48			
8	8	60			
8	8	72			

## NEMA 4X Screw Cover Wireway

### Application

EPI NEMA 4X JIC Screw Cover Wireway is designed to protect electrical wiring in areas which may be regularly hosed down or are very wet. Designed for use in areas where serious corrosion problems exist. Suitable for use outdoors, or in dairies, breweries, sewage plants, petrochemical plants and similar installations.

### Construction

Made from 16 or 14-gauge stainless steel (type 304). All seams are continuously welded and there are no holes or knockouts. The covers have gasket with oil resistant adhesive. The cover is fastened with stainless steel self-tapping hex head screws and provides a complete seal between covers and bodies (Covers not to exceed 72"). Exterior mounting feet can be provided for mounting.

### Finish

The standard finish is Type 304 Stainless Steel. All corners are ground smooth, polished and free of sharp edges. Type 316 SS is also available.

### Industry Standard

Meets National Electrical Manufacturers Association (NEMA) standard for Type 4 (Water Tight and Dust Tight), Type 4X (Water Tight, Dust Tight, and Corrosion-Resistant), Type 12 (Industrial Use), and Type 13 (Oil Tight and Dust Tight) enclosures. Also conforms to the Joint Industrial Council (JIC) standard EGP-1-1967.