




ENCLOSURES  
& ENGINEERING



Serving our industry proudly for 55 years!



## Standard Sizes

Width	Height	Depth	Width	Height	Depth
42	24	8	42	36	12
48	24	8	42	42	12
			48	36	12
42	30	10	48	42	12
48	30	10	48	48	12
60	30	10	60	36	12
			60	42	12

## NEMA Type 12 Dbl Door Wall Mounted Enc.

### Application

EPI NEMA Type 12 Double Door Wall Mounted Enclosures are designed to house electrical controls, terminals, and instruments. They provide protection from dust, dirt, oil, and dripping water in indoor use.

### Construction

Made from 14, 12, or 10-gauge steel. All seams are continuously welded. There are no holes or knockouts. The neoprene door gasket is attached with oil resistant adhesive. These enclosures have uniquely gasketed, overlapping doors, which eliminate the need for a center post. A 3-point latching mechanism operated by oil tight handle, holds the doors securely closed. Heavy gauge continuous stainless steel hinges support each door. Body stiffeners and door stiffeners are provided in larger enclosures for extra rigidity. Six external feet are furnished for mounting. Locking handles are optional. Available in Aluminum and Stainless Steel.

### Accessories

Panels must be ordered separately. Floor stand kits in 6, 12, 18, and 24-inch heights are available for factory installation. Drip shield kits protect the door and the door hardware from dripping water and settling dust.

### Finish

The standard finish is Sherwin Williams ANSI-70 light-dove gray inside and out. Panels are same.

### Industry Standard

Meets National Electrical Manufacturers Association (NEMA) standard for Type 12 (Industrial Use) enclosures.

UL50E Certified.