




ENCLOSURES
& ENGINEERING



Serving our industry proudly for 55 years!



Standard Sizes

| Width | Height | Depth | Width | Height | Depth |
|-------|--------|-------|-------|--------|-------|
| 42 | 24 | 8 | 42 | 36 | 12 |
| 48 | 24 | 8 | 42 | 42 | 12 |
| | | | 48 | 36 | 12 |
| 42 | 30 | 10 | 48 | 42 | 12 |
| 48 | 30 | 10 | 48 | 48 | 12 |
| 60 | 30 | 10 | 60 | 36 | 12 |
| | | | 60 | 42 | 12 |

NEMA Type 4 Dbl Door Alum Wall Mount

Application

EPI NEMA Type 4 Double Door Aluminum Wall Mount Enclosures are designed to house electrical controls, terminals, and instruments in areas, which may be regularly hosed down or are in very wet environments.

Construction

These enclosures are made from .125 5052H Quarter Hard Aluminum sheets. All seams are continuously welded. There are no holes or knockouts. A lip is provided on all three sides of the door to ensure a watertight seal with oil resistant neoprene gaskets. The door clamps are quick and easy to operate, and have no loose parts. Exterior clamps, clamp screws and hinge pins are stainless steel. A hasp and staple are provided for padlocking. A center post is provided for extra rigidity. External feet are provided for mounting.

Accessories

Panels must be ordered separately.

Finish

The standard finish is 5052H Quarter Hard Aluminum Sheets.

Industry Standard

Meets National Electrical Manufacturers Association (NEMA) standard for Type 4 (Watertight and Dust-tight) and Type 13 (Industrial use) enclosures.