




ENCLOSURES  
& ENGINEERING



Serving our industry proudly for 55 years!



## Standard Sizes

Width	Height	Depth
24	60	18
24	72	18
30	72	18
36	72	18
24	90	20
36	90	20
24	72	24
30	72	24
36	60	24
36	72	24
36	90	24
24	72	30
36	72	30
24	72	36
36	72	36
36	90	36

## NEMA Type 4 Floor Mounted Enclosure

### Application

EPI NEMA Type 4 Floor Mounted Enclosures are designed to house electrical controls, terminals, and instruments in areas, which may be regularly hosed down or are otherwise very wet environments.

### Construction

Made from 14, 12, or 10-gauge steel. All seams are continuously welded and there are no holes or knockouts. A lip is provided around three sides of the door. This lip increases strength and keeps dirt and liquids from dropping into the enclosure. Clamps are provided on three sides of the door to ensure a watertight seal with neoprene gaskets. The gaskets are attached with oil-resistant adhesive. All exterior hardware (such as clamps, clamp screws, hinge pins, etc) are stainless steel. A heavy gauge continuous stainless steel hinge supports the door. A hasp and staple are provided on the door for padlocking. Each enclosure has 12-inch floor stands.

### Accessories

Panels must be ordered separately. Floor stand kits in 6, 12, 18, and 24-inch heights are available for factory installation on all NEMA 4 enclosures. Drip shield kits protect the door hardware from dripping water and settling dust.

### Finish

The standard finish for enclosures is Sherwin Williams ANSI-70 light-dove gray enamel inside and out. Other finishes are available for specific application.

### Industry Standard

Meets National Electrical Manufacturers Association (NEMA) standard for Type 4 (Watertight and Dust-tight) and Type 13 (Industrial use) enclosures.